


## Instructions for Use

IMPORTANT: Please read the instructions carefully.

## **ONZETRA®** Xsail<sup>®</sup> is <u>NOT</u> a nasal spray or inhaler.




You blow with your mouth into the device to deliver medication into your nose.


Disposable nosepieces (in foil pouches)

## WHAT'S IN YOUR BOX?



(1 for immediate use + 1 spare)





Medication capsule Clear release tab

### REMINDER

**1 dose = 2 nosepieces** (1 per nostril)

Each disposable white nosepiece contains half a dose of medication (11 mg of sumatriptan). A full dose is 22 mg.

**Do not** use more than 2 nosepieces per dose.

#### **INSTRUCTIONS ON PAGE 2**

### **STORAGE AND CARE**

- Discard used nosepieces in the trash
- Put the protective cover back on the blue device and store it for your next use
- Cleaning the reusable blue device is not necessary—if you do want to clean the blue device, please use a clean, dry, lint-free cloth to wipe the mouthpiece between uses
  - Do not wash the device
  - Avoid contact with any liquids
- Keep ONZETRA Xsail and all medications out of the reach of children
- Remember to store the blue device and unopened pouches in a clean, cool, and dry place
- Be sure to check the expiration date for each nosepiece at each use
- Use both nosepieces within 1 hour after opening the pouch




For support, call **1-800-793-2145** or visit **onzetra.com**. If you still have questions, be sure to ask your healthcare professional or pharmacist.


© 2019 Currax Pharmaceuticals LLC. All rights reserved. ONZETRA and Xsail are registered trademarks of Currax Pharmaceuticals LLC in the United States and other countries. Breath Powered is a registered trademark of OptiNose AS. ONZ-LC110.00 Rev. 11/19



# HOW TO USE ONZETRA® Xsail®



Lastly, repeat steps 3-4 with **second nosepiece** in **second nostril.** 



DID I DO IT RIGHT? Checked the nosepieces. It is normal to see a thin white residue after use. If one or both of the capsules appear unused, repeat steps 2-4 with the same nosepiece
Used both nosepieces—one in each nostril
Pierced both capsules before blowing
DID NOT hold down white button while blowing

